Scheda Tecnica

BITUMPRIMER

- Primer for bituminous Roofing
- Excellent adhesion to Ardesian bituminous sheaths
- Good penetration

Code	0641
Description	Water-based fixative varnish made of styrene acrylic emulsions with internal plasticizing, used in building as a base coat. It is characterized by adhesion and good penetration to the surface.
Use	Suitable to block the dust and porosity of the new and old bituminous sheaths, thus allowing a valid anchorage to the installation of liquid sheaths.
Appearance of the film	Semigloss
Color	Colourless-Ivory
Component	1
Hardening	Physical by evaporation of water and coalescenze of the polymer

Copyright 2026 Resina Color - z.i. Via Mastricale 3 - 70017 Putignano (BA) - Italy
tel. 0804912873 - email: info@resinacolor.it p.i. 09040010721
www.resinacolor.com - www.resinacolor.it

Specific weight	From 1,280 - 1310 gr/ml
Dry residue	48 %
VOC	25,6 gr/ liter
Estimated yield	200-400 gr/mq (according to the surface's absorption
Flash point	> 60°C
Preparation of surfaces	Perform an accurate cleaning by eliminating dust, parts being detaching, greasy and other contaminants. The support must be dry.
Preparation of the product	Mix the product before use. For roller and brush applications dilute the product with max. 5-10% water.
Environmental conditions	Ambient temperature: from + 5 to 35°C Temperature of the surface: >10°C Humidity: 5 – 85 % To prevent the formation of condensation, the temperature of the surface must be at least 3 °c higher than the dew point
dry	Fuori polvere* 1 hour Fuori polvere* 2-3 hrs Dry in depth* 12hrs (*)The expressed times may vary depending on the increase or decrease in temperatures, the environmental conditions, the level of humidity in the air and the porosity of the support.
Application	It can be applied indifferently with a scrubbing brush, spray, roller and brush.
Shelf life	1 year in cool and dry place. The product does not tollerate the frost.
	Lt. 14; Lt. 5

Copyright 2026 Resina Color - z.i. Via Mastricale 3 - 70017 Putignano (BA) - Italy
tel. 0804912873 - email: info@resinacolor.it p.i. 09040010721
www.resinacolor.com - www.resinacolor.it

Packs

Copyright 2026 Resina Color - z.i. Via Mastricale 3 - 70017 Putignano (BA) - Italy
tel. 0804912873 - email: info@resinacolor.it p.i. 09040010721
www.resinacolor.com - www.resinacolor.it