Scheda Tecnica

STELLINE IN





- Water - based additive
- Luminescent effect
- It is suitable for internal spaces

Code	0715
Description	It is a special water - based additive for internal rooms that, mixed with our decorative paints or even washable products or water - based enamels, or transparent finishes, will give the substrate, once dried, a particular shiny effect.
Use	This product is used as a decorative product for internal places where you want to give the rooms a touch of originality.
Appearance of the film	Matt with brilliant glitter
Color	Transparent and color chart
Component	1
Hardening	Physical hardening through evaporation of water and union of the polymer
VOC	40 gr/ liter

Copyright 2026 Resina Color - z.i. Via Mastricale 3 - 70017 Putignano (BA) - Italy
tel. 0804912873 - email: info@resinacolor.it p.i. 09040010721
www.resinacolor.com - www.resinacolor.it

Specific weight	1,030 gr/lt
Estimated yield	Kg. 0,100 per each kg. of product
Flash point	Component A > 114°C
temperature resistance	Max 60°C
Preparation of the product	Product ready to use. Mix well the product before the use. Component A 100
Environmental conditions	Ambient temperature: from + 5 to 40° C Temperature of the support: > 10° C Humidity: 0 - 85 % In order to prevent the formation of condensation, it is necessary that the temperature of the substrate is at least 3° C above the dew point.
Drying and hardening time	For the thickness of 50 microns 10° C 20° C 30° C Dry to touch 3 1 0,5 hours Dry in depth 8 4 - 5 2 hours
Time of overpainting	Minimum (hours) 10° C 20° C 30° C 8 4 3 hours Maximum unlimited in the absence of contaminants
Application	Pour and mix well into one of our decorative products, or into washable products, water - based enamel or transparent finishes, before applying the last coat.

Copyright 2026 Resina Color - z.i. Via Mastricale 3 - 70017 Putignano (BA) - Italy
tel. 0804912873 - email: info@resinacolor.it p.i. 09040010721
www.resinacolor.com - www.resinacolor.it

Shelf life	2 years in a cool and dry place (max 40° C)
Packs	Comp A Kg. 0,075 – Kg. 0,250



Copyright 2026 Resina Color - z.i. Via Mastricale 3 - 70017 Putignano (BA) - Italy
tel. 0804912873 - email: info@resinacolor.it p.i. 09040010721
www.resinacolor.com - www.resinacolor.it